

# 55 Inch 3.5mm Seam Lowlight LCD Splicing Display Unit

MW-A55-B1



## Features

- High reliability integration design.
- Built-in image splicing function.
- Support special splicing compensation.
- Support screen to prevent cauterizing, image flip.
- Support white balance adjustment.
- Support remote control and RS232 hoop control.
- Support record and display working time on panel.
- Support fast splicing unit ID, convenient for adjustment.
- Supports double frame function.
- Power delay function after power.
- Stable running and low maintenance cost, supporting 24 hours continuous working.
- Unit has its own customizable button, which can be customized as test pattern / burn-in and other functions.
- Equipped with two HDMI input Interfaces and one HDMI loop out Interface, support video signal loop out display.

## Specifications

Model	MW-A55-B1
<b>Panel</b>	
Panel Size	55"
Resolution	1920 × 1080
Color Support	16.7 M
Brightness (cd/m <sup>2</sup> )	500
Contrast Ratio	4000:1
Response Time (ms)	8
Viewing Angle (H/V)	178°/178°
Operation Hour	24/7
<b>Interface</b>	
Video Input	2 x HDMI, 1 x DVI, 1 x VGA
Video Output	1 x HDMI LOOP
Other Interfaces	1 x USB 2.0, 2 x RS232, 1 x IR Interface
<b>OSD</b>	
Multi-Language	English, Simplified Chinese
<b>General</b>	
Input Voltage	AC 100 ~ 240 V, 50/60 Hz
Typical Power Consumption (W)	210
Product Dimensions (W × H × D) (mm)	1213.50 x 684.30 x 125.19
Package Dimensions (W × H × D) (mm)	Single Display: 1345 x 851 x 245 Two Displays: 1342 x 837 x 397
Weight (kg)	Net Weight: 29.49 Gross Weight (1 Display Included): 33.79 Gross Weight (2 Displays Included): 64.78
Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 90% (No Condensation)
Storage Temperature	-20°C ~ 60°C
Storage Humidity	10% ~ 90% (No Condensation)
Standard	1 x Remote Control, 1 x Power Cable, 1 x Ground Wire, 1 x Infrared Extension Cable, 1 x Network Cable, 1 x Quick Guide

## Ordering Info

Product Model	Description
MW-A55-B1	55" 3.5mm Bezel Width Video Wall(2 pcs in one carton)

**Zhejiang Uniview Technologies Co., Ltd.**

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.